

Digital Pressure Transmitter MODEL: SB-P

SMART BIENE.







SOFTWARE

SB-P (01) is a Portable device software, you can connect your device to computer with USB Cable (USB to Micro-USB) and configure your device or see measured value plots, save data...:

Min System Requirement:

- CPU: 2GHz.
- Memory: 2GB RAM.
- Hard Drive: 80 MB available in the hard disk.
- Windows 8 or superior.
- USB2 Port.

Software consists of three tabs:

- DATA (Real Time): Display measured value with a real time graph. Start, pause and erase data logging. Saving text file or a plot image from logged data. Display alarms status, errors, main and max values of measured value.
- Configuration: In this tab you can get device configuration or change configuration and set them to device, also you can reset device using reset factory.
- Info: In info tab you can change Tag ID of device.
 You can see device serial number registered by
 Smart Biene.



Figure 6: SB-P(01) DATA(Real Time) tab.



Figure 7: SB-P(01) Info tab.




Figure 8: SB-P(01) Configuration tab.

Smart Measurement.	WWW.SMARTBIENE.COM
All specifications are subject to change without notice. All sales subject to standard terms and conditions.	Smart Biene Inc., 250 East Main Street, Stuttgart, Germany.
© Smart Biene Inc. 2012/09/15	Email: info@smartbiene.com